


REFUGES (HUTS)	
Blower Bay	54° 32.3' S 158° 52.6' E
Brothers Point	54° 34.4' S 158° 55.1' E
Green Gorge	54° 36.6' S 158° 50.9' E
Davis Point	54° 37.9' S 158° 53.9' E
Waterfall Bay	54° 39.9' S 158° 49.9' E
Wingy Ridge	54° 41.5' S 158° 51.9' E
Trilings	54° 41.7' S 158° 49.2' E
Wingy Ridge	54° 44.0' S 158° 49.9' E
Caroline Cove	54° 45.8' S 158° 47.9' E
Hurd Point	54° 46.3' S 158° 49.9' E



**LEGEND**

- Walking track
- Escarpment
- Lake
- Stream
- Contour (10m interval)
- Spot height (GPS, height approximate)
- Spot height (NATMAP 1971, position approximate)
- Hillock
- Dam
- Grave(s)
- ANARE Station
- ANARE Station building
- ANARE Station structure
- Enclosed area
- Road
- Aerial
- Mast
- Pole
- Historic ANARE hut
- Digester(s)
- Trypot(s)
- Shipwreck
- Difficult coastline to access. Should be avoided.
- Dangerous coastline. Must be avoided.
- Bathymetry (m)
- Penguin colony
- Gentoo Penguin
- King Penguin
- Rockhopper Penguin
- Royal Penguin
- Seal colony
- Fur Seal
- Southern Elephant Seal
- Flying bird breeding colony
- Black-browed Albatross
- Grey-headed Albatross
- Southern Giant-Petrel
- Wandering Albatross

Wildlife locations may vary within a season or from season to season.

Rockhopper and Royal Penguins may be found at the locations indicated from about late September to April.

The other penguin species and the seals may be found at the locations indicated at any time of the year.

Southern Elephant Seals may be found anywhere on the east coast of Macquarie Island and at the locations indicated on the west coast of the island.

The flying bird species may be found at the locations indicated during the following time periods:

- Black-browed Albatrosses September to April
- Grey-headed Albatrosses September to May
- Southern Giant-Petrels September to April
- Wandering Albatrosses all year
- Light-mantled sooty Albatrosses breed on the coastal slopes of Macquarie Island from about late September to May
- Northern Giant-Petrels breed on the coastal flats of Macquarie Island from about late August to early March.
- Non-breeding aggregations of Northern and Southern Giant-Petrels are present on Macquarie Island all year round.

Protected Area  
Closed annually from November 1 to April 30

Avoid coastal travel during Summer between Rockhopper Point and Caroline Point on the west coast and Raine Point and Hurd Point on the east coast to minimise wildlife disturbance.


**MACQUARIE ISLAND**

TASMANIA

SCALE 1:50 000



PROJECTION: Universal Transverse Mercator  
ZONE: 57  
HORIZONTAL DATUM: World Geodetic System 1984  
VERTICAL DATUM: Mean Sea Level



Produced by the Australian Antarctic Data Centre  
Australian Antarctic Division  
Department of the Environment and Heritage  
© Commonwealth of Australia  
Published October 2000

This map is available for printing from the Antarctic Map Catalogue, an online database at [http://aacdc.dia.gov.au/databases/mapcat\\_search](http://aacdc.dia.gov.au/databases/mapcat_search). The datasets used to produce this map are available online at <http://aacdc.dia.gov.au/augp/wgfiles>. Information about datasets used and other related material is available by searching for metadata online at <http://www.aacdc.gov.au/metadata/>. Names have been approved by the Nomenclature Board of Tasmania. Additional information is available online at [http://www.aacdc.gov.au/au\\_names\\_medialnames/](http://www.aacdc.gov.au/au_names_medialnames/).

Wildlife data was provided by scientists at the Australian Antarctic Division and the Parks and Wildlife Service, Tasmania. The inclusion of wildlife data does not imply that this information is complete.

Please email comments to: [gis@antdiv.gov.au](mailto:gis@antdiv.gov.au)